

FLORIDA DEPARTMENT OF
Business & Professional Regulation



[DBPR HOME](#) | [ABOUT DBPR](#) | [DBPR DIVISIONS](#) | [CONTACT DBPR](#)



License efficiently. Regulate fairly.

OFFICE OF THE SECRETARY

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

| | |
|--|--|
| FL # | FL17215 |
| Application Type | New |
| Code Version | 2010 |
| Application Status | Approved |
| Comments | |
| Archived | |
| Product Manufacturer | Solatube International, Inc |
| Address/Phone/Email | 2210 Oak Ridge Way Vista, CA 92081 (760) 597-4427 tanderson@solatube.com |
| Authorized Signature | Todd Anderson tanderson@solatube.com |
| Technical Representative | |
| Address/Phone/Email | |
| Quality Assurance Representative | |
| Address/Phone/Email | |
| Category | Sky Lights |
| Subcategory | Skylight |
| Compliance Method | Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received |
| Florida Engineer or Architect Name who developed the Evaluation Report | R. Douglas Hall, P.E. |
| Florida License | PE-FL 53759 |
| Quality Assurance Entity | Keystone Certifications, Inc. |
| Quality Assurance Contract Expiration Date | 05/30/2018 |
| Validated By | Shawn G. Collins, PE Validation Checklist - Hardcopy Received |
| Certificate of Independence | FL17215_RO_COI_M74_DS_Single_and_Dual_Glazed_Eval.pdf |
| Referenced Standard and Year (of Standard) | Standard AAMA/WDMA/CSA 101/I.S.2/A440 ASTM E 283 ASTM E 330 |
| | Year 2008 2004 2002 |

TAS 201 1994
 TAS 202 1994
 TAS 203 1994

Equivalence of Product Standards
 Certified By

Florida Licensed Professional Engineer or Architect
[FL17215_R0_Equiv_EQ_AAMA_101.pdf](#)

Sections from the Code

Product Approval Method Method 1 Option D

Date Submitted 08/29/2014
 Date Validated 09/06/2014
 Date Pending FBC Approval 09/10/2014
 Date Approved 12/15/2014

Summary of Products

| FL # | Model, Number or Name | Description |
|--|--|--|
| 17215.1 | M74 DS Curb Mount Open Ceiling TDD Base Unit | Single Glazed |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +120.3/-80.2 Other: Design Pressure ratings noted are for Non-Impact Resistant Product | | Installation Instructions FL17215_R0_II_Solatube_TDD_Ceiling-SingleGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL 53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M74_DS_Single_and_Dual_Glazed_Eval.pdf Created by Independent Third Party: Yes |
| 17215.2 | M74 DS Curb Mount Open Ceiling-TDD Base Unit | Single Glazed-IMPACT |
| Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80.2/-80.2 Other: Design Pressure Ratings are for Impact-Resistant Product | | Installation Instructions FL17215_R0_II_Solatube_TDD_Ceiling-SingleGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL 53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M74_DS_Single_and_Dual_Glazed_Eval.pdf Created by Independent Third Party: Yes |
| 17215.3 | M74 DS Curb Mount Open Ceiling-TDD Base Unit | Dual Glazed |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +120.3/-80.2 Other: Design Pressure Rating are for Non-Impact Resistant Products | | Installation Instructions FL17215_R0_II_Solatube_TDD_Ceiling-DualGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL 53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M74_DS_Single_and_Dual_Glazed_Eval.pdf Created by Independent Third Party: Yes |
| 17215.4 | M74 DS Curb Mount Open Ceiling-TDD Base Unit | Dual Glazed-IMPACT |
| Limits of Use | | Installation Instructions |

| | | |
|---------|--|---|
| | <p>Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80.2/-80.2 Other: Design Pressure ratings are for Impact-Resistant Product</p> | <p>FL17215_R0_II_Solatube_TDD_Ceiling-DualGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL 53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M74_DS_Single_and_Dual_Glazed_Eval.pdf Created by Independent Third Party: Yes</p> |
| 17215.5 | M74 DS Curb Mount Open Ceiling-TDD with Amplifier | Single Glazed |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +120.3/-80.2 Other: Design Pressure ratings are for Non-Impact Resistant Product</p> | <p>Installation Instructions FL17215_R0_II_Solatube_TDD_Amplifier-SingleGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL 53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M_74_DS_Single_and_Dual_Glazed_with_Amplifier_Eval.pdf Created by Independent Third Party: Yes</p> |
| 17215.6 | M74 DS Curb Mount Open Ceiling-TDD with Amplifier | Single Glazed-IMPACT |
| | <p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80.2/-80.2 Other: Design Pressure ratings are for Impact-Resistant Product</p> | <p>Installation Instructions FL17215_R0_II_Solatube_TDD_Amplifier-SingleGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL 53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M_74_DS_Single_and_Dual_Glazed_with_Amplifier_Eval.pdf Created by Independent Third Party: Yes</p> |
| 17215.7 | M74 DS Curb Mount Open Ceiling-TDD with Amplifier | Dual Glazed |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: +120.3/-80.2 Other: Design Pressure ratings are for Non-Impact Resistant Product</p> | <p>Installation Instructions FL17215_R0_II_Solatube_TDD_Amplifier-DualGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL #53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M_74_DS_Single_and_Dual_Glazed_with_Amplifier_Eval.pdf Created by Independent Third Party: Yes</p> |
| 17215.8 | M74 DS Curb Mount Open Ceiling-TDD with Amplifier | Dual Glazed-Impact |
| | <p>Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +80.2/-80.2 Other: Design Pressure Ratings are for Impact-Resistant Product</p> | <p>Installation Instructions FL17215_R0_II_Solatube_TDD_Amplifier-DualGlaze-Install.pdf Verified By: R. Douglas Hall, P.E. FL #53759 Created by Independent Third Party: Yes Evaluation Reports FL17215_R0_AE_M_74_DS_Single_and_Dual_Glazed_with_Amplifier_Eval.pdf Created by Independent Third Party: Yes</p> |

[Back](#) [Next](#)

[Contact Us](#) :: 1940 North Monroe Street, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide

the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

