



Structural Performance Certification Authorization Report

Solatube International, Inc

2210 Oak Ridge Way
Vista, CA 92081-8341, USA

Certification ID:	110-125
Company Code:	110
Certification Date:	4/9/2020
Revision No:	2
Revision Date:	1/31/2025
Expiration Date:	4/9/2027

Product Rating Information:

Model:	Curb Mounted Fixed Skylight			
Operator Type:	SKG			
Configuration:	No, GS - 1/4" Ann Lami IG			
Referenced Standard:	AAMA/WDMA/CSA 101/IS2/A440-11			
Product Rating:	SKG-PG75 1315x1315 (~52x52)			
Rated Dimensions:	Max Width:	52 in	Max Height:	52 in

Qualifying Test Information:

Test Report No:	ATI-K6415.01-303-44-R1
Test Report Expiration:	4/9/2027

This Certification Authorization Report (CAR) is issued by Keystone Certifications, Inc. (KCI) after full validation review, and is based on a standardized evaluation of the product conducted by an independent accredited laboratory in accordance with the specified referenced standard. Actual fenestration product performance may vary based on many factors, including installation, condition of the wall/roof substrate and the age of the product and installation components.

This report indicates the product is eligible for the application of Keystone Certification Program certification labels. Licensee stipulates in affixing certification labels to products, that those products are representative of the specimen evaluated and documented for certification authorization. Only products bearing such a certification label shall be considered certified. The information in this report can be verified at www.keystonecerts.com



Authorized By:



Keystone Certifications, Inc.
145 Limekiln Rd, Suite 100B
New Cumberland, PA 17070
Phone: 717-932-8500



Structural Performance Certification Authorization Report

Revision History

Rev #	Date	Description
0	4/9/2020	Initial Issuance.
1	4/2/2024	Granted 3 Year Extension.
2	1/31/2025	Updated Rating to remove Class reference, as there is no Class rating for skylights. Revised Rating format. Updated GS designation to list annealed glass.